Web Images Maps News Video Gmail more ▼

◀ Google ▶

Google

★★★★★☆
Google
★★★★★☆

Sign in

| multi-statement functions view | | Search | Advanced Search
Preferences |

Results **1** - **10** of about **2,730,000** for <u>**multi**-**statement** **functions** **view**</u>. (**0.09** seconds)

1. <u>SQL Server programming **Multi-statement** table-valued **function** in ...</u>

1 post - Last post: Feb 18
Myview" because it references the inline or **multistatement** table-valued **function** by
hand in the **view** definition, or not indexing the **view**. ...
www.eggheadcafe.com/software/aspnet/34036583/**multistatement**-tableval.aspx - 19k
- <u>Cached</u> - <u>Similar pages</u>

2. <u>Inline vs. **Multistatement** Table-Valued UDFs</u>

The optimizer processes an inline **function** the same way it processes a **view** against
the base table, whereas it processes the **multistatement function** as if ...
www.sqlmag.com/Article/ArticleID/24284/sql_server_24284.html - <u>Similar pages</u>

3. <u>**View** vs. Table Valued **Function** vs. **Multi-Statement** Table Valued ...</u>

View vs. Table Valued **Function** vs. **Multi-Statement** Table Valued **Function**. About
five years ago, I was checking an app before it went to production. ...
scarydba.wordpress.com/2008/08/13/**view**-vs-table-valued-**function**-vs-**multi**-
statement-table-valued-**function**/ - 18k - <u>Cached</u> - <u>Similar pages</u>

4. <u>Alternative of **Multistatement** table-valued **function** in oracle ...</u>

6 posts - 3 authors - Last post: Oct 16, 2003
IN MSSQL we can use **Multistatement** table-valued **functions** but do we have ... i
think they call it "parameterized **view**" (it's been a while ...
www.dbforums.com/microsoft-sql-server/948302-alternative-**multistatement**-table-
valued-**function**-oracle.html - 58k - <u>Cached</u> - <u>Similar pages</u>

5. <u>User Defined **Functions** - SQLTeam.com</u>

Oct 12, 2000 ... A **Multi-Statement** Table-Value user-defined **function** returns a table
and is also an exceptional alternative to a **view** as the **function** can ...
www.sqlteam.com/article/user-defined-**functions** - <u>Similar pages</u>

6. <u>What is difference between Inline Table-values **Function** and **Multi** ...</u>

multi-statement functions allow a number of statements inside, allowing more complex processing. **....** It should probably be a stored proc or perhaps a **view**. ...
www.sqlservercentral.com/Forums/FindPost586167.aspx - Similar pages

7. SQL Server 2005 T-SQL recipes: a problem-solution approach - Google Books Result

by Joseph Sack - 2005 - Computers - 733 pages
Using an inline UDF offers no inherent performance benefits over using a **view** or stored procedure. Creating **Multi- Statement** User-Defined **Functions ...**
books.google.com/books?isbn=159059570X...

8. [PDF] **Multi-statement** Table-valued **Function** - SQL Server

File Format: PDF/Adobe Acrobat - View as HTML
After creating our **Multi-statement** Table-valued **function**, to retrieve its data just we do as we would retrieve data from a table or **view**, ...
idevapp.com/LinkClick.aspx?fileticket=sS4Zr13AeQc%3D&tabid=53&mid=369
- Similar pages

9. **Multi-Statement** Table-Valued **Functions** : Returning value **...**

Multi-Statement Table-Valued **Functions** : Returning value « Procedure **Function** « SQL Server **...** Analytical **Functions**. 15. Sequence Indentity. 16. **View ...**
www.java2s.com/Tutorial/SQLServer/0420__Procedure-**Function**/
MultistatementTableValued**Functions**.htm - 45k - Cached - Similar pages

10. SQL Server 2008 Transact-SQL Recipes: A Problem-Solution Approach - Google Books Result

by Joseph Sack - 2008 - Computers - 839 pages
Also, just like a **view** or stored procedure, the query you create to define **...** Creating **Multi- Statement** User- Defined **Functions Multi- statement** table UDFs **...**
books.google.com/books?isbn=1590599802...

Searches related to: **multi-statement functions view**

highgear axis multi function watch   multi statement table valued functions

Goooooooooogle ▶
1 2 3 4 5 6 7 8 9 10 Next

multi-statement functions view   Search

Google Home - Advertising Programs - Business Solutions - Privacy - About Google

Web Images Maps News Video Gmail more ▼

◀ Google ▶

Google

★★★★★
Google Checkout
★★★★★

| udf function type | Search | Advanced Search |
| | | Preferences |

Results **1 - 10** of about 245,000 for **udf** <u>function</u> <u>type</u>. (**0.06** seconds)

---

1. <u>User Defined Functions - SQLTeam.com</u>

Oct 12, 2000 **...** A Scalar user-defined **function** returns one of the scalar data **types**.
Text, ntext, image and timestamp data **types** are not supported. **...**
www.sqlteam.com/article/user-defined-**functions** - <u>Similar pages</u>

2. <u>User-defined **function** - Wikipedia, the free encyclopedia</u>

Mar 12, 2009 **...** There are three **types** of UDF in Microsoft SQL Server 2000: **...**
FUNCTION to change the characteristics of **UDF** DROP **FUNCTION** to remove **UDF ...**
en.wikipedia.org/wiki/User-defined_**function** - 28k - <u>Cached</u> - <u>Similar pages</u>

3. [PDF] <u>How to write an internal **UDF function**</u>

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
How to Write an Internal **UDF Function**. Page 17 of 20. As before, we get the
maximum size of the field **type** when represented as a string. In the **...**
www.ibphoenix.com/downloads/writing_internal_**udfs**.pdf - <u>Similar pages</u>

4. <u>InformIT: SQL Server User-Defined Functions (**UDFs**) > **UDF Types**</u>

When you can't find a built-in **function** that meets your needs, you can write **...** You
cannot return values with a user-defined data **type** from scalar **UDFs**. **...**
www.informit.com/articles/article.aspx?p=31673 - 35k - <u>Cached</u> - <u>Similar pages</u>

5. <u>Creating, Altering, and Removing User-Defined Functions</u>

Int **udf**.ExecutionContext = ExecutionContext.Caller **udf.FunctionType** =
UserDefinedFunctionType.Scalar **udf**.ImplementationType = ImplementationType. **...**
msdn.microsoft.com/en-us/library/ms162186.aspx - 21k - <u>Cached</u> - <u>Similar pages</u>

6. <u>SQL Server programming **UDF** Runs Separately, but "Error converting ...</u>

6 posts - 3 authors - Last post: Mar 13, 2007
UDF Runs Separately, but "Error converting data **type**" on INSERT - JonOfAllTrade **...**

But its hard to tell without the **udf**. **function**: errors. **...**
www.eggheadcafe.com/software/aspnet/29498629/**udf**-runs-separately-but.aspx - 25k
- Cached - Similar pages

7. MySQL Bugs: #41797: Server crashes when calling a **UDF** created with **...**

Description: Server crashes when users call a **UDF function** if that **function** has been
added with a wrong return data **type**. I'm not sure you want fix this. **...**
bugs.mysql.com/41797 - 9k - Cached - Similar pages

8. com.celequest.api.**function**.IUDFunctionWithVariableResultType **...**

Only **UDF function** signatures specified in the com.celequest.manifest.manifest.xml
file to return a DECIMAL result will have their argument **types** passed to **...**
livedocs.adobe.com/livecycle/8.2/programLC/programmer/javadoc/com/.../**function**/
IUDFunctionWithVariableResultType.ht... - 17k - Cached - Similar pages

9. Firebird/InterBase - **UDF** and NULL parameters

Many (most) **UDF**s implement functions that are write-null-through **type**, i.e. NULL
input parameter will result in NULL output value, (e.g. **function** that **...**
www.volny.cz/iprenosil/interbase/ip_ib_**udf**_null.htm - 13k - Cached - Similar pages

10. User-defined **function (UDF) support by type**

You can create several different **types** of **UDFs (UDFs)** using the workbench.
publib.boulder.ibm.com/infocenter/rtnlhelp/v6r0m0/topic/com.ibm.etools.subuilder.doc/
topics/**rudfs**support.html - 7k - Cached - Similar pages

Searches related to: **udf function type**

sql udf function   sql server udf   udf stored procedures

Goooooooooogle ▶
1 2 3 4 5 6 7 8 9 10 **Next**

| udf function type | Search |

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google

Web Images Video News Maps **more »**

sql view from function   [Search]

"from" is a very common word and was not included in your search. [details]

Scholar All articles - Recent articles Results 1 - 10 of about 54,400 for sql **view** from **function**. (0.17 seconds)

[PDF] •XPERANTO: Publishing object-relational data as XML
M Carey, D Florescu, Z Ives, Y Lu, J ... - WebDB (Informal Proceedings), 2000 - cs.huji.ac.il
... as max and concat, which operate on **SQL** types, are ... consider an XML element created
in an XML **view**. This is represented using the CreateElement **function** in the ...
Cited by 185 - Related articles - View as HTML - Web Search - All 20 versions

Maintenance of data cubes and summary tables in a warehouse- •stanford.edu [PDF]
IS Mumick, D Quass, BS Mumick - ACM SIGMOD Record, 1997 - portal.acm.org
... the aggregate **functions** found in standard **SQL**, COUNT,SUM ... will assume that if a **view**
is supposed to contain the AVGaggregate **function**, the materialized ...
Cited by 236 - Related articles - Web Search - BL Direct - All 14 versions

Querying XML views of relational data- •kfupm.edu.sa [PDF]
J Shanmugasundaram, J Kiernan, E Shekita, C Fan, J ... - In VLDB, 2001 - eprints.kfupm.edu.sa
... for a natural translation of XQuery queries to **SQL**. ... to relational tables and XML
view definitions respectively. ... The **function** operator is used to invoke XQuery ...
Cited by 247 - Related articles - View as HTML - Web Search - BL Direct - All 8 versions

[PDF] •Maintenance of materialized views: Problems, techniques, and applications
A Gupta, IS Mumick - Bulletin of the Technical Committee on - sites.computer.org
... base tables to a derived table; this **function** is typically ... Consider **view** hop from
Example 3 now written in **SQL**. CREATE **VIEW** hop S; D as (select distinct I1 : S ...
Cited by 576 - Related articles - View as HTML - Web Search - All 14 versions

SQL: 2003 has been published- •acm.org [PDF]
A Eisenberg, J Melton, K Kulkarni, F Zemke - ACM SIGMOD Record, 2004 - portal.acm.org
... **SQL**-bodied table **functions**, on the other hand, allow for so called "parameterized
views" (as a reminder, regular **SQL views** are fixed at the time they are ...
Cited by 65 - Related articles - Web Search - BL Direct - All 14 versions

A general technique for querying XML documents using a relational database system- •wisc.edu [PDF]
J Shanmugasundaram, E Shekita, J Kiernan, R ... - ACM SIGMOD Record, 2001 - portal.acm.org
... I. **Function** buildElement ($id integer, $name string, 2 ... used to rewrite XML queries
into **SQL** queries. However, these materialized **view** matching algorithms are NP ...
Cited by 109 - Related articles - Web Search - BL Direct - All 27 versions

SQL: 1999, formerly known as SQL3- •acm.org [PDF]
A Eisenberg, J Melton - ACM SIGMOD Record, 1999 - portal.acm.org
... can be decomposed, much as the SUBSTRING **function** can decompose ... have to "escape"
from the **view** mechanism and ... **SQL**: 1999 has significantly increased the range of ...

Cited by 125 - Related articles - Web Search - BL Direct - All 23 versions

Adapting materialized views after redefinitions - •kfupm.edu.sa [PDF]

A Gupta, IS Mumick, KA Ross - ACM SIGMOD Record, 1995 - portal.acm.org
... examples of such applications. We consider all possible redefinitions of
SQL SELECT- FROM-UHERE-GROUPBY, UNION, and EXCEPT **views**, and ...
Cited by 142 - Related articles - Web Search - Library Search - BL Direct - All 20 versions

View extraction and view fusion in architectural understanding - •psu.edu [PDF]

R Kazman, SJ Carriere - Software Reuse, 1998. Proceedings. Fifth International ..., 1998 - ieeexplore.ieee.org
... as extracted from system makefiles, and the static **view** allow us to disambiguate
function calls. This fusion is simply a matter of formulating an **SQL** query that ...
Cited by 90 - Related articles - Web Search - All 12 versions

DEVise: integrated querying and visual exploration of large datasets - •kfupm.edu.sa [PDF]

M Livny, R Ramakrishnan, K Beyer, G Chen, D ... - Proceedings of the 1997 ACM SIGMOD international conference ...,
1997 - portal.acm.org
... cated **SQL** queries are generated through intuitive user-level operations ... MAPPING:
This is a **function** that is applied to a ... is an example of a DEVise **view** and is ...
Cited by 196 - Related articles - Web Search - BL Direct - All 15 versions

Key authors: **I Mumick** - **A Gupta** - **J Shanmugasund...** - **E Shekita** - **J Melton**

Goooooooooogle ▶

Result Page: 1 **2** **3** **4** **5** **6** **7** **8** **9** **10**   **Next**

| sql view from function | Search |